ILOVETOCREATE®

Safety Data Sheet



A DUNCAN ENTERPRISES COMPANY

1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate

A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax) EMERGENCY TELEPHONE NUMBERS Health Emergencies: 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Product Name:DUNCAN CONCEPTS UNDERGLAZESProduct Description:Nontoxic Ceramic Underglazes

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings	for Product	Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
		* = Chronic Effects

3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are non-hazardous, unless specified in Sections 2 and 15.

4. FIRST AID MEASURES

Eye Contact:	Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.
Skin Contact:	Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.
Inhalation:	Move subject to fresh air. Consult a physician if symptoms persist.
Ingestion:	If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Autoignition Temperature:	Non-flammable
Flash Point:	Not Applicable
Upper Explosive Limit (%):	Not Applicable
Lower Explosive Limit (%):	Not Applicable
Extinguisher Media:	CO ₂ , Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire
Special Firefighting Procedures:	Not Applicable
Fire & Explosion Hazards:	Not Applicable
NFPA Flammability Hazard Class:	0 = Insignificant

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures:	Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway.
For safety and environmenta information.	I precautions, please review entire Safety Data Sheet for necessary

7. HANDLING AND STORAGE

Storage Temperature:	40° - 100°F
Handling / Storage:	Protect from freezing; keep container sealed when not in use
Ventilation Requirements:	General

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal	
Protective Equipment Required:	Normal work conditions, maintenance / repair
Eye Protection Requirements:	Wear safety glasses with side shields; protect against splashing
Glove Requirements:	Gloves not normally required for foreseeable conditions of use.
Clothing Requirements:	Protective clothing is normally not necessary for foreseeable conditions of use.
Change / Removal of Clothing:	None required
Wash Requirements:	Good hygiene practices should be followed
Respirator Requirements:	NIOSH approved respirator for sprays and mists recommended if using a sprayer
Ventilation Requirements:	General; local exhaust ventilation recommended when spraying

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Physical Description:	Colored liquid. Odorless
pH:	7 - 10
Boiling Point:	212°F
Freezing Point:	Approx. 0°C (32°F)
Melting Point:	1832°F (1000°C)
Solubility in Water:	Miscible
Specific Gravity (Water = 1):	1.3 – 1.8
Bulk Density:	10.8 – 15.0 lb / gal
Evaporation Rate (Water = 1):	1
Vapor Pressure:	17.5 mm Hg @ 20°C (68°F)
Autoignition Temperature:	Not Applicable
Flash Point:	Not Applicable
Oxidizing Properties:	Not Applicable

10. STABILITY AND REACTIVITY

Stability:	Stable
Incompatible Materials:	None known
NFPA Reactivity Class:	0 = Insignificant
Hazardous Decomposition Products:	Avoid fumes when firing
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	None Known

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure		
Route of Entry	Eye contact, skin contact, inhalation, ingestion	
Acute Effects – Eye:	Slight, transient	
Acute Effects – Skin Contact:	No known signs or symptoms associated with exposure to product	
Acute Effects – Inhalation:	No known signs or symptoms associated with exposure to product	
Acute Effects – Ingestion:	No known signs or symptoms associated with exposure to product	

Chronic (Long-Term) Effects of Exposure			
Effect of Chronic Exposure:	This product should be co known chronic effects.	onsidered no	on – hazardous and has no
Target Organs:	Not applicable		
Carcinogenicity:	IARC Monographs: No	NTP: No	OSHA Regulated: No

12. ECOLOGICAL INFORMATION

No applicable data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods:	Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.
Empty Container Warnings:	Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information	
DOT Shipping Name:	Glazes or Stains, Ceramic or Pottery, Artists or Hobbyists Liquid
DOT Hazard Class:	88690 Sub. 1
DOT Reportable Quantity:	None

15. REGULATORY INFORMATION

TSCA:	All components are on the TSCA Inventory	
FDA:	21CFR175.105	
SARA/Title III:	This product contains no substances at or above the reported threshold under Section 313, based on available data.	
CONFORMS TO NONTOXIC ASTM D-4236	Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).	

16. OTHER INFORMATION

Table of Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ANSI	American National Standards Institute		
ASTM	American Society for Testing Materials		
°C	Degrees Centigrade		
CAS	Chemical Abstract Service		
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act		
CFR	Code of Federal Regulations		
CPR	Controlled Products Regulations		
DOT	Department of Transportation		
EPA	Environmental Protection Agency		
°F	Degrees Fahrenheit		
FDA	Food & Drug Administration		
g/l	Grams per liter		
DOT	Department of Transportation		
EPA	Environmental Protection Agency		
°F	Degrees Fahrenheit		
FDA	Food & Drug Administration		
g/l	Grams per liter		
Hg	Mercury		
HMIS	Hazardous Materials Identification System		
IARC	International Agency for Research on Cancer		
LD	Lethal Dose		
mg / kg	Milligram per kilogram		
mm	Millimeter		
SDS	Safety Data Sheet		
MSHA	Mine Safety and Health Administration		
N/A	Not Applicable		
NFPA	National Fire Protection Association		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program		
OSHA	Occupational Safety and Health Administration		
ppm	Parts per million		
SARA	Superfund Amendment and Reauthorization Act		
STEL	Short-Term Exposure Limit		
TSCA	Toxic Substances Control Act		
TWA	Time - Weighted Average		
U.N.	United Nations		
WHMIS	Workplace Hazardous Materials Information System		
>	Greater Than		
<	Less Than		

Creation Date:	07/00
Revision Date:	01/22/13
Technical Contact:	Frank Peters
	Research & Development Manager
	iLoveToCreate
	A Duncan Enterprises Company
	5673 East Shields Avenue
	Fresno, CA 93727
	559-291-4444
	559-291-9444 (Fax)

16. OTHER INFORMATION (Continued)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.