

## VISTA PAINT CORP -- ACRIGLO -- 8010-00N017807

## ===== Product Identification =====

Product ID:ACRIGLO  
 MSDS Date:04/10/1990  
 FSC:8010  
 NIIN:00N017807  
 === Responsible Party ===  
 Company Name:VISTA PAINT CORP  
 Address:2020 E ORANGETHORPE AVE  
 City:FULLERTON  
 State:CA  
 ZIP:92631  
 Country:US  
 Info Phone Num:704-680-3800  
 Emergency Phone Num:714-680-3800  
 CAGE:0C4T4

## ===== Contractor Identification =====

Company Name:VISTA PAINT CORP  
 Address:2020 E ORANGETHORPE AVE  
 Box:City:FULLERTON  
 State:CA  
 ZIP:92631  
 Country:US  
 Phone:714-680-3800  
 CAGE:0C4T4

## ===== Composition/Information on Ingredients =====

Ingred Name:MERCURY, (ACETATO) PHENYL-; (PHENYLMERCURIC ACETATE)  
 CAS:62-38-4  
 RTECS #:OV6475000  
 OSHA PEL:0.1 MG(HG)/M3, C, S  
 ACGIH TLV:0.1 MG(HG)/M3, S  
 EPA Rpt Qty:100 LBS  
 DOT Rpt Qty:100 LBS

## ===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
 Health Hazards Acute and Chronic:ACUTE:EXCESSIVE INHALATION OF VAPOR  
 MAY CAUSE HEADACHE & NAUSEA. MATERIAL IS SLIGHTLY ALKALINE & MAY  
 IRRITATE EYES & SKIN. CHRONIC:NONE RECOGNIZED.  
 Explanation of Carcinogenicity:NOT RELEVANT.  
 Effects of Overexposure:INHAL:VAPOR ODORS MAY CAUSE IRRITATION, NAUSEA,  
 HEADACHE & DIZZINESS. EYE:CAN CAUSE MINOR IRRITATION, REDNESS &  
 TEARING. SKIN:CAN CAUSE MINOR IRRITATION. INGEST: CAN CAUSE NAUSEA,  
 VOMITING, DIARRHEA & GASTROINTESTINAL IRRITATION.  
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## ===== First Aid Measures =====

First Aid:EYE:CLEAN W/PLENTY OF WATER FOR AT LEAST 15 MINUTES.  
 SKIN:CLEAN W/SOAP & WATER. INHAL:MOVE AFFECTED PERSON TO FRESH AIR.  
 APPLY ARTIFICIAL RESPIRATION IF NECESSARY. SEEK MD IMMEDIATELY.  
 INGEST:DRINK WATER TO DILUTE. DO NOT INDUCE VOMITING. CALL MD.

===== Fire Fighting Measures =====

Flash Point:225F,107C

Lower Limits:0.62

Upper Limits:4.24

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM & DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROTECTIVE EQUIPMENT . AVOID CONFINED AREA UNLESS PROPERLY PROTECTED AGAINST POTENTIAL IRRITATING & TOXIC FUMES.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT. CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN SPILL IMMEDIATELY W/ABSORBANT SUCH AS CLAY OR DIATOMACEOUS SILICA.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, WELL VENTILATED AREA. DO NOT STORE OR HANDLE NEAR HEAT, FLAMES & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:ROTATE STOCK, USE OLDER MATERIALS FIRST. INSPECT FOR LEAKS IN ALL CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA OR OSHA APPROVED RESPIRATOR IF TLV IS EXCEEDED. (EXAMPLE:TC-23C-436.)

Ventilation:PROVIDE SUFFICIENT VENTILATION TO MAINTAIN EXPOSURE LEVEL BELOW TLV/PEL.

Protective Gloves:IMPERVIOUS RUBBER GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:USE EYE WASH & SAFETY SHOWER. USE IMPERVIOUS CLOTHING OR CHANGE CONTAMINATED CLOTHING IMMEDIATELY.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:T6

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:0.22

Spec Gravity:1.2

Solubility in Water:YES

Appearance and Odor:LIQUID, MILD ODOR OF LATEX RESIN.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBON DIOXIDE &/OR CARBON MONOXIDE, & UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF ALL WASTE IN ACCORDANCE W/FEDERAL,  
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.