

# MATERIAL SAFETY DATA SHEET

## SUNDANCE-Q II Disinfectant Non-Alkaline Cleaner

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: SUNDANCE-Q II Disinfectant Non-Alkaline Cleaner

**MANUFACTURER** 

The Butcher Company 67 Forest Street Marlborough, MA 01752-3012 

 Butcher Telephone Number:
 800-225-9475

 Emergency Telephone (24 hours):
 800-228-5635

 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'I):
 +1 703-527-3887

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Didecyl dimethyl ammonium chloride	7173-51-5	3 - 5
n-Alkyl dimethylbenzyl ammonium chloride	8001-54-5	3 - 5
Octyl dimethyl amine oxide	2605-78-9	1 – 3
Ethylenediaminetetraacetic acid	60-00-4	1 – 3
Ethyl alcohol	64-17-5	1 - 1.5

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

# 3. HAZARDS IDENTIFICATION

## **EMERGENCY OVERVIEW**

Clear, Yellow Liquid. Mild Odor. Causes Eye and Skin Burns. Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Ingestion

## **EFFECTS OF ACUTE EXPOSURE**

EYES:

Causes eye burns. Symptoms may include pain, tearing, redness, and eye injury.

SKIN:

Causes skin burns. Symptoms may include pain, redness, swelling, scarring, and skin damage.

#### INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat.

MSDS No: 4212 Page: 1 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

#### INGESTION:

Harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain. May also cause central nervous system effects including headache, dizziness and weakness.

#### **EFFECTS OF CHRONIC EXPOSURE:**

Prolonged or repeated contact may cause skin irritation.

## **MEDICAL CONDITIONS AGGRAVATED:**

May aggravate pre-existing eye, skin and respiratory conditions.

## 4. FIRST AID MEASURES

## EYES:

Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

#### SKIN:

Immediately flush with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

#### INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

## INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

## NOTES TO PHYSICIAN:

Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

#### FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

#### **EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for surrounding fire.

MSDS No: 4212 Page: 2 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

#### HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide) and nitrogen oxides.

#### FIRE AND EXPLOSION HAZARDS:

None known.

#### FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

## 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

## 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

## STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

## SKIN:

Where skin contact is possible, chemical-resistant gloves should be worn. When additional skin contact is possible, other protective equipment and clothing (e.g., footwear) may be needed. All contaminated clothing should be removed immediately and cleaned (or discarded) before reuse.

#### **RESPIRATORY:**

No respiratory protection is required if ventilation is adequate.

## **ENGINEERING CONTROLS:**

Good general room ventilation is expected to be adequate.

MSDS No: 4212 Page: 3 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

**EXPOSURE LIMITS:** 

INGREDIENT(S) OSHA PEL/STEL ACGIH TLV/STEL

Didecyl dimethyl ammonium chloride NA NA n-Alkyl dimethylbenzyl ammonium NA NA

chloride

Octyl dimethyl amine oxide NA NA NA NA

Ethyl alcohol 1000 ppm (1900 mg/m3) 1000 ppm (1880 mg/m3)

NA - Not Available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild

APPEARANCE: Clear, Yellow

pH: 7.2 to 8.2

PERCENT VOLATILE BY WEIGHT: 88 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.0 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

# 10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None known.

INCOMPATIBLE MATERIALS:

Oxidizers (e.g., bleach).

MSDS No: 4212 Page: 4 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

## 11. TOXICOLOGICAL INFORMATION

## ACUTE DATA:

This product causes eye burns and may cause severe skin irritation or burns. Based on acute toxicity testing, this product is harmful if swallowed. It is not considered to be toxic by skin absorption. The following data are available for this product and its ingredients:

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
SUNDANCE-Q II Disinfectant Non-Alkaline Cleaner	<5000 mg/kg	>2000 mg/kg	Not Available
Didecyl dimethyl ammonium chloride	450 mg/kg	3342 mg/kg	Not Available
n-Alkyl dimethylbenzyl ammonium chloride	590 mg/kg	2000 mg/kg	Not Available
Octyl dimethyl amine oxide	Not Available	Not Available	Not Available
Ethylenediaminetetraacetic acid	3980 mg/kg	Not Available	Not Available
Ethyl alcohol	7060 mg/kg	Not Available	31623 ppm (4-hr)

## SENSITIZATION DATA:

No data available.

## CHRONIC DATA:

No data available.

## REPRODUCTIVE/TERATOGENIC DATA:

Excessive and prolonged ingestion of ethyl alcohol has been found to cause reproductive and teratogenic effects in humans and laboratory animals.

## CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

## SYNERGISTIC MATERIALS:

No data available.

## 12. ECOLOGICAL INFORMATION

No data available.

# 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

MSDS No: 4212 Page: 5 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

## 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

## 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

#### **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

**EPA** 

EPA REG. NO.: 47371-130-7176

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

## MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Didecyl dimethyl ammonium chloride	7173-51-5	Not Listed
n-Alkyl dimethylbenzyl ammonium chloride	8001-54-5	Not Listed
Octyl dimethyl amine oxide	2605-78-9	Not Listed
Ethylenediaminetetraacetic acid	60-00-4	MA, NJ, PA
Ethyl alcohol	64-17-5	MA, NJ, PA


NA - Not Applicable

# 16. OTHER INFORMATION

#### **HMIS RATING**

HEALTH	-	3
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

#### NFPA RATING



MSDS No: 4212 Page: 6 of 7

Date Prepared: 11/27/2000 Date Revised: 11/27/2000

#### **MSDS STATUS**

Revision #: 1

This MSDS replaces the December 09, 1997 MSDS. Any changes in information are as follows:

In Section 1

Date Prepared [] Print CHEMTREC Phone Number

In Section 3

Emergency Overview - Immediate Concerns Signs & Symptoms - Skin

In Section 8
Skin Protection

In Section 9

(Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (Group Field) for Boiling Point (Group Field) for Evaporation Rate Coeff Oil/Water

In Section 10 Hazardous Decomposition Products

In Section 11 Toxicological

In Section 15
OSHA Hazard Comm. Rule

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 11/27/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4212 Page: 7 of 7